

**Amendments to the Specification**

Please replace the paragraph that begins on Page 1, line 7 and carries over to Page 2, line 6 with the following marked-up replacement paragraph:

— The present invention is related to the following commonly-assigned co-pending applications, which were filed concurrently herewith and which are hereby incorporated herein by reference: U. S. Patent \_\_\_\_\_ (serial number 10/\_\_\_\_\_), titled number 10/665,282, titled “Using Radio Frequency Identification to Detect and/or Prevent Theft and Shoplifting”; U. S. Patent \_\_\_\_\_ (serial number 10/\_\_\_\_\_), titled number 10/666,483, titled “Using Radio Frequency Identification with Customer Loyalty Cards to Detect and/or Prevent Theft and Shoplifting”; U. S. Patent \_\_\_\_\_ (serial number 10/\_\_\_\_\_), titled number 10/666,287, titled “Using Radio Frequency Identification with Transaction-Specific Correlator Values to Detect and/or Prevent Theft and Shoplifting”; and U. S. Patent \_\_\_\_\_ (serial number 10/\_\_\_\_\_), titled number 10/666,700, titled “Using Radio Frequency Identification with Transaction Receipts to Detect and/or Prevent Theft and Shoplifting”. —

Please replace the paragraph that begins on Page 11, line 19 and carries over to Page 12, line 9 with the following marked-up replacement paragraph:

— A shopper selects some number of items, represented by element 300 in Fig. 3A, and presents these items for checkout at a point of sale (Block 400 of Fig. 4A). At the point of sale, an RFID reader 305 reads an RFID-readable identifier borne on each item presented for purchase (Block 405). A checksum generation component 310 (which may be embodied within the RFID reader) generates a checksum of data from the RFID-readable identifier identifiers (Block 410).

Serial No. 10/666,703

-2-

RSW920030195US1

The data used in generating the checksum may comprise the item's EPC, its SKU, its unique item serial number, some combination thereof, or any other data or data combination from the RFID tag, provided that the data used for each particular item serves to identify that item. (Any suitable checksum algorithm may be used without deviating from the inventive concepts of the present invention.) --

Please replace the paragraph that begins on Page 17, line 9 and carries over to Page 18, line 1 with the following marked-up replacement paragraph:

-- It may happen that a shopper buys items from more than one merchant, and therefore has some items in his possession that have RFID tags matching the correlator on the sales receipt as well as other items that do not have this correlator. Or, the shopper may have items in his possession that were purchased from this merchant at an earlier time. Such items will therefore not have a correlator matching the correlator on the present sales receipt. A preferred approach for dealing with this situation is for the retailer to maintain a database of this merchant's previously-generated correlators ~~correlators~~, and to include a comparison against values in this database prior to concluding that a non-match (Block 880 of Fig. 8B) is a potential theft. For example, if a shopper has an item with a correlator that does not match his receipt, perhaps this is a correlator generated by the retailer next door. In this case, the correlator will not be found in the current retailer's database, and will not be considered as a theft. On the other hand, if an item possessed by the shopper has a correlator that does not match his receipt but this item's correlator is found in the correlator database, then this is an item previously purchased from this merchant (and it is not a theft). --

Serial No. 10/666,703

-3-

RSW920030195US1

Please replace the paragraph that begins on Page 23, line 6 and carries over to Page 24, line 3 with the following marked-up replacement paragraph:

-- Commonly-assigned, co-pending U. S. Patent Application 09/790,104 (filed on Feb. 21, 2001), entitled "Method to Address Security and Privacy Issues of the Use of RFID Systems to Track Consumer Products", which was briefly discussed above, discloses techniques to prevent global tracking of people and the items they have purchased containing RFID tags, in addition to techniques for using RFID technology to prevent tampering of product information stored in RFID tags and to prevent pricing mistakes made at the point of sale. Commonly-assigned, co-pending U. S. Patent Application 09/847,889 (filed on May 3, 2001), entitled "Identification and Tracking of Persons Using RFID-Tagged Items", discloses techniques for using RFID technology to identify or characterize people, based on the RFID tags present in items being carried by that person at a point in time. If a prior-purchase database is provided with information about which person bought particular uniquely-identified items in the past, then the RFID tags may be used to locate information in the database that will identify the person currently carrying the items. Otherwise, the person can be characterized based upon the types of items he is currently carrying (as determined by reading the RFID tags of the items). Commonly-assigned, co-pending U. S. Patent Application 10/\_\_\_\_\_ (filed 10/612,251 (filed on July 2, 2003), entitled "Object Matching via RFID", discloses techniques for using RFID technology to track and match objects, when the RFID tags of these objects have been programmed with data suitable for indicating that the items are in association with one another. These commonly-assigned inventions are hereby incorporated herein by reference as if set forth fully. --

Serial No. 10/666,703

-4-

RSW920030195US1